ENGINEERING EDITIONS FOR INTEGRATION PURPOSES COMPATIBILITY OVERVIEW











CALL BUTTONS

D2100E & D2100EA

Connection options:

Module "MTM56A"

D3100E

D1100E





A. One call button connected to the port for one call button (yellow) of the main unit

C. 2-56 call buttons connected to the Multi-Tenant

B. 2-18 call buttons connected to the

Multi-Tenant Module "MTM18A"



Please contact us via e-mail: customized@doorbird.com

customized service.

Connection options:



This combination is available through our customized service.



Please contact us via e-mail: customized@doorbird.com

Connection option:



Illuminated Call Button for DoorBird D11x



Not compatible



A. 1-2 call buttons connected to the port for call buttons (CB) of the main unit B. 2-18 call buttons connected to the

Multi-Tenant Module "MTM18A"

C. 2-56 call buttons connected to the

Multi-Tenant Module "MTM56A"

This combination is available through our



1-2 call buttons connected to the port for call buttons (CB) of the main unit



Illuminated stainless steel button for DoorBird D1101KH Classic

Illuminated stainless steel button for DoorBird D21x



Connection options:



A. One call button connected to the port for one call button (yellow) of the main unit



This combination is available through our customized service.



This combination is available through our customized service.



Illuminated stainless steel call button with separate backlit nameplate for DoorBird D21x

B. 2-18 call buttons connected to the Multi-Tenant Module "MTM18A"

C. 2-56 call buttons connected to the Multi-Tenant Module "MTM56A"

Please contact us via e-mail: customized@doorbird.com

Please contact us via e-mail: customized@doorbird.com

SPARE PARTS



Module Port Converter MPCOID21 for connecting a second input module on the D21x series



Connection option:

One Module Port Converter connected to the port for output modules (green) of the main unit



Not compatible



Not compatible



